GENERAL INDEX

A

Abbo, S., Anatomical aspects of hybrid embryo abortion in the genus Lens L. 316
Abscisic acid: drought resistance 439, sexual development 148
Abscission 51
Actinomycetes 8
Adhesive disk, Cassytha pubescens 321
Adventitious shoots, Picea rubens 42
Aging 107
Akers, C. P., Comparative ultrastructural features of secreting and nonsecreting glandular trichomes of two genotypes of Nicotiana tabacum L. 13
Amarasinghe, Vindhya, Trichome morphology in the genus Cuphea (Lythraceae) 77
Anatomy, olive abscission 51
Andropogon gerardii 263
Androvettia 380
Aneuploidy, Carex 224
Antennaria rosea 486
Antheridiogen 148
Apical meristem 139
Apomixis: Antennaria rosea 486, facultative 214, Paspalum dilatatum 219
Apospory 214
Arachis hypogaea: comparative embryogenesis 64, pollen and embryo sac development 164
Aranda flower 289
Arberiella 248
Architecture, tree 494
Aricycas 123
Artificial selection, phenotypic integration 514
Ascorbate free radical, role in cell elongation 282
Ascosporogenesis: Humariaceae 421, Hydnobolites 408
Asexual reproduction 486
Ash, Sidney R., A new pinnate cycad leaf from the Upper Triassic Chinle Formation of Arizona 123
Asteroxylon 335

B

Banksia cuneata 114
Bashaw, E. C., Cytological and morphological diversity of native apomictic buffelgrass, Pennisetum ciliare (L.) Link 214
Bayer, Randall J., Patterns of clonal diversity in geographically marginal populations of Antennaria rosea (Asteraceae, Inuleae) from subarctic Alaska and Yukon Territory 486
Bellefleur, Pierre, Plasticity of leaf absorbance in some broadleaf tree seedlings 195
Berger, S., Comparative ultrastructural features of secreting and nonsecreting glandular trichomes of two genotypes of Nicotiana tabacum L. 13
Bergl, Stephen M., Seed bank and population dynamics of Banksia cuneata: the role of time, fire, and moisture 114
Bernstein, Nirit, Growth and development of the Lactuca sativa shoot as affected by NaCl stress: consideration of leaf developmental stages 72
Berry, Alison M., Establishment of the mistletoe Phoradendron macrophyllum: phenology of early stages and host compatibility studies 468
Bess, V. H., Ultrastructure of actinorhizal nodules of Cowania subintegra (Rosaceae) 8
Bhaskaran, Shyamala, A factor that promotes mycelial development in Sporisorium reilianum in vitro 453
Brachyphyllum 380
Briand, Christopher H., Patterns of architectural variation in Thuja occidentalis L. (Eastern white cedar) from upland and lowland sites 494
Bristlecone pine, *see* Pinus longaeva
Bryophytes 335
Bud development 304
Bunce, James A., Influence of the environment during seed development on the morphology and growth rate of soybean seedlings 59
Burson, Byron L., Genome relationships between tetraploid and hexaploid biotypes of dallisgrass, Paspalum dilatatum 219
Bůžek, Čestmír, Fossil fruits of Pteleaecarpum Weyland—tiliaceous, not sapindaceous 522

C

C_3 forbs 257
C_4 grasses 257
Carex chromosome counts 224
Cass, David D., Leaf anatomy of Zea mays L. in response to water shortage and high temperature: a comparison of drought-resistant and drought-sensitive lines 173; Chloroplast structure after water shortage and high temperature in two lines of Zea mays L. that differ in drought resistance 186; Morphological characteristics of leaf epidermal cells in lines of maize that differ in endogenous levels of abscisic acid and drought resistance 439
Cassytha pubescens 321
Castanea sativa 514
Caulfield, Frances, Influence of the environment during seed development on the morphology and growth rate of soybean seedlings 59
Cell differentiation: dividing cell ultrastructure 397, Glycine max mesophyll 34
Cell dividing 397
Cell elongation 282
Cell plate 397
Cenchrus 214
Ceratopteris richardii 148
Cevallos-Ferriz, Sergio R. S., Fruits and seeds from the Princeton chert (Middle Eocene) of British Columbia: Rosaceae (Prunoideae) 369
Chalazogamy 100
Chloroplast ultrastructure: Nicotiana tabacum 13, Zea 186
Chromosome numbers, Carex 224
Compensatory growth 208
Compensatory photosynthesis 275
Conifer leaf fossils 380
Connell, Stephen W., Seed bank and population dynamics of Banksia cuneata: the role of time, fire, and moisture 114
Connor, Kristina F., Effects of tree age on pollen, seed, and seedling characteristics in Great Basin bristlecone pine 107
Cowania subintegra 8
Crane, Peter R., Water-conducting cells in early fossil land plants: implications for the early evolution of tracheophytes 335; Nordenskioldia and Trochodendron (Trochodendraceae) from the Miocene of northwestern North America 357
Cretaceous, Upper 380
Cuphea 77
Cuticle, anatomy, Cassytha pubescens 321
Cutter, Elizabeth G., Modification of pea leaf morphology by 2,3,5-triiodobenzoic acid 133
Cycad cone idioblasts 91
Cycads 123, 203
Cycas media 203
Cytogenetics: Carex 224, Paspalum dilatatum 219, Pennisetum ciliare 214
Cytoplasmic inclusion, tobacco 13

D

Day, A. W., Detection of antigens of powdery mildew, Erysiphe graminis f.sp. hordei, in susceptible plant host cells, shortly after inoculation and during the early stages of infection 460
Defoliation: biomass allocation 208, compensatory photosynthesis 275
DeLucia, Evan H., Effect of leaf rolling on gas exchanges and leaf temperature of Andropogon gerardii and Spartina pectinata 263
Desert herbs 269
Development: Arachis embryogenesis 64; Arachis pollen, embryo sac 164; Ceratopteris gametophyte 148; Ciliarieae ascosporogenesis 421; Glycine max leaf 34; Glycine max seedling 59; Glycine max shoot 139; Lactuca sativa shoot 72; Monotropa gynoecial pathway 154; Olea europaea inflorescence abscission 51; Picea rubens somatic embryogenesis 446; Picea rubens zygotic embryo 42; Pisum sativum leaf 133; Sporisorium reilianum mycelia 453; Sporisorium teliospore 1; Vitis vinifera bud 304
Devonian 335
Dilcher, David L., Nordenskioldia and Trochodendron (Trochodendraceae) from the Miocene of northwestern North America 357
Discomycetes 421
Donart, G. B., Compensatory photosynthesis of Sporobolus flexuosus (Thurb.) Rydb. following simulated herbivory in the northern Chihuahuan Desert 275
Drought tolerance: C_3 forbs, C_4 grasses 257; Zea 173, 186, 439

E

Early land plants 335
Ecology: biomass allocation 208; clonal diversity 486; ecotypic differences 494, 500; phenotypic integration 514; pollination biology 203; population dynamics 114; salt marsh 509
Ecophysiology: C_3 forbs, C_4 grasses 257; compensatory photosynthesis 275; gas exchange responses 269; leaf rolling 263
Ecotypes, Thuja occidentalis 494, 500
Embryogenesis: Arachis 64; Arachis hypogaea 164; Lens 316; Picea rubens, somatic 446; Picea rubens, zygotic 42
Energy budget 263
Eocene, Middle: fruits and seeds 369, monocotyledon 231
Epilobium angustifolium 208
Erwin, Diane M., Soleredera rhizomorpha gen. et sp. nov., a permineralized monocotyledon from the Middle Eocene Princeton chert of British Columbia, Canada 231
Erysiphe graminis 460
Esau, Katherine, Distribution of vacuoles and some other organelles in dividing cells 397
Ethephon, role in abscission 51
Ethylene, role in abscission 51

F

Fern gametophyte, development 148
Festuca arundinacea 296
Fineschi, Silvia, Phenotypic integration in chestnut (Castanea sativa Mill.): leaves vs. fruits 514
Flowering, Glycine max 139
Franceschi, Vincent R., Differentiation of mesophyll and paraveinal mesophyll in soybean leaf 34
Frankia 8
Frederiksen, Richard A., A factor that promotes mycelial development in Sporisorium reilanum in vitro 453
Freeze substitution fixation 1
Fruit, Eocene 369
Fungal antigens 460
Fungi, ultrastructure 296, 408, 421

G

Gallagher, John L., The importance of dead and young live shoots of Spartina alterniflora (Poaceae) in a mid-latitude salt marsh for overwintering and recoverability of underground reserves 509
Gametophyte, fern, development 148
García-Herdugo, G., Ascorbate free radical stimulates onion root growth by increasing cell elongation 282
Gas-exchange 263, 269
Geinitzia 380
Gender variation 476
Gensel, Patricia G., Upper Cretaceous conifer leaf fossils from the Black Creek Formation with an assessment of affinities using Principal Components Analysis 380
Gibson, J. L., Ultrastructural evidence for a phylogenetic linkage of the truffle genus Hydnobolites to the Pezizaceae (Pezizales, Ascomycetes) 408
Gill, Robert H., Distribution of vacuoles and some other organelles in dividing cells 397
Glandular trichome, tobacco 13
Glossopteris 248
Glycine max: floral transition 139, leaf development 34, seedling development 59
Glycoprotein 453
González-Reyes, J. A., Ascorbate free radical stimulates onion root growth by increasing cell elongation 282
Goren, Raphael, Inflorescence abscission in olive: anatomy and histochemistry in response to ethylene and ethephon 51
Gould, Kevin S., Modification of pea leaf morphology by 2,3,5-triiodobenzoic acid 133
Graham, Alan, Trichome morphology in the genus Cuphea (Lythraceae) 77
Graham, Shirley A., Trichome morphology in the genus Cuphea (Lythraceae) 77
Grasses: ecophysiology 257, 263, 275; fungal endophyte 296
Growth 72
Gymnosperms, reproduction 476
Gynoecium 154

H

Harris, Fred S., Ecophysiological responses of C_3 forbs and C_4 grasses to drought and rain on a tallgrass prairie in northeastern Kansas 257
Harry, Indra S., Plantlet regeneration from cultured embryos and seedling parts of red spruce (Picea rubens Sarg.) 42; Somatic embryogenesis and plant regeneration from mature zygotic embryos of red spruce 446
Heckathorn, Scott A., Effect of leaf rolling on gas exchange and leaf temperature of Andropogon gerardii and Spartina pectinata 263
Heide-Jørgensen, H. S., Anatomy and ultrastructure of the haustorium of Cassytha pubescens R. Br. I. The adhesive disk 321
Henry, Leslie Tolley, Soluble carbohydrate allocation to roots, photosynthetic rate of leaves, and nitrate assimilation as affected by nitrogen stress and irradiance 23
Hew, C. S., Respiration of orchid flower mitochondria 289
Hickok, Leslie G., Control of sexual development in gametophytes of Ceratopteris richardii: antheridiogen and abscisic acid 148
Hidalgo, A., Ascorbate free radical stimulates onion root growth by increasing cell elongation 282
Hignight, K. W., Cytological and morphological diversity of native apomictic buffelgrass, Pennisetum ciliare (L.) Link 214
Histochemistry, inflorescence abscission 51
Host-parasite interaction: Erysiphe antigens 460, Phoradendron phenology 468
Hussey, M. A., Cytological and morphological diversity of native apomictic buffelgrass, Pennisetum ciliare (L.) Link 214

Hybrid embryo abortion: Arachis 64, Lens 316
Hydnobolites 408

I

Idioblast, cycad cone 91
Intraspecific hybridization, Paspalum 219
Isozyme variation, Antennaria rosea 486

J

Järlfors, U. E., Comparative ultrastructural features of secreting and nonsecreting glandular trichomes of two genotypes of Nicotiana tabacum L. 13
Jordano, Pedro, Gender variation and expression of monoecy in Juniperus phoenicea (L.) 476
Juglans regia 100
Juniperus 476

K

Kanchanapoom, Malee L., Shoot meristem activity during floral transition in Glycine max (L.) Merr. 139
Kenrick, Paul, Water-conducting cells in early fossil land plants: implications for the early evolution of tracheophytes 335
Kimbrough, J. W., Ultrastructural evidence for a phylogenetic linkage of the truffle genus Hydnobolites to the Pezizaceae (Pezizales, Ascomycetes) 408; Ultrastructural investigation of Humariaceae (Pezizales, Ascomycetes). II. Ascosporogenesis in selected genera of the Ciliarieae 421
Knapp, Alan K., Gas exchange responses to variable sunlight in two Sonoran Desert herbs: comparison with subalpine species 269
Kvaček, Zlatko, Fossil fruits of Pteleaecarpum Weyland—tiliaceous, not sapindaceous 522

L

Labrecque, Michel, Plasticity of leaf absorbance in some broadleaf tree seedlings 195
Lactuca sativa 72
Ladizinsky, G., Anatomical aspects of hybrid embryo abortion in the genus Lens L. 316
Lamont, Byron B., Seed bank and population dynamics of Banksia cuneata: the role of time, fire, and moisture 114
Lanner, Ronald M., Effects of tree age on pollen, seed, and seedling characteristics in Great Basin bristlecone pine 107
Larson, Douglas W., Patterns of architectural variation in Thuja occidentalis L. (Eastern white cedar) from upland and lowland sites 494; Growth and physiology of Thuja occidentalis L. from cliffs and swamps: is variation habitat or site specific? 500
Läuchli, André, Growth and development of the Lactuca sativa shoot as affected by NaCl stress: consideration of leaf developmental stages 72
Lazof, Dennis, Growth and development of the Lactuca sativa shoot as affected by NaCl stress: consideration of leaf developmental stages 72
Leaf anatomy: Glycine max 34, Zea 173
Leaf morphology: Pisum sativum 133, Zea mays epidermis 439
Leaf plasticity 195
Leaf rolling 263
Leaf water potential 257
Lens 316
Lichter, John M., Establishment of the mistletoe Phoradendron macrophyllum: phenology of early stages and host compatibility studies 468
Light absorption 195
Liliales, fossil 231
Liljebjelke, Karen A., Differentiation of mesophyll and paraveinal mesophyll in soybean leaf 34
Lu, Chin-Yi, Plantlet regeneration from cultured embryos and seedling parts of red spruce (Picea rubens Sarg.) 42
Luza, J. G., Porogamy and chalazogamy in walnut (Juglans regia L.) 100
Lythraceae 77

M

McKeen, W. E., Detection of antigens of powdery mildew, Erysiphe graminis f.sp. hordei, in susceptible plant host cells, shortly after inoculation and during the early stages of infection 460
Malvolti, Maria E., Phenotypic integration in chestnut (Castanea sativa Mill.): leaves vs. fruits 514
Manchester, Steven R., Nordenskioldia and Trochodendron (Trochodendraceae) from the Miocene of northwestern North America 357; Fossil fruits of Pteleaecarpum Weyland—tiliaceous, not sapindaceous 522
Martin, Craig E., Ecophysiological responses of C_3 forbs and C_4 grasses to drought and rain on a tallgrass prairie in northeastern Kansas 257
Martin, George C., Inflorescence abscission in olive: anatomy and histochemistry in response to ethylene and ethephon 51
Matthes-Sears, Uta, Patterns of architectural variation in Thuja occidentalis L. (Eastern white cedar) from upland and lowland sites 494; Growth and physiology of Thuja occidentalis L. from cliffs and swamps: is variation habitat or site specific? 500
Mesophyll, differentiation 34
Michaud, J. P., Biomass allocation in fireweed Epilobium angustifolium L. (Onagraceae) in response to simulated defoliation 208
Mims, Charles W., Teliospore maturation in the smut fungus Sporisorium sorghi: an ultrastructural study using freeze substitution fixation 1
Miocene 357
Mistletoe 321, 468
Mitochondria, respiration 289
Monocotyledon, Middle Eocene 231
Monoecy 476
Monotropa 154
Moriconia 380
Morphology: Cuphea trichome 77, Cycad cone idioblast 91, environment effects 59, Pennisetum ciliare 214, Pisum sativum leaf 133, Zea mays epidermis 439
Morré, D. J., Ascorbate free radical stimulates onion root growth by increasing cell elongation 282
Morrison, Janice C., Bud development in Vitis vinifera L. 304
Mutation, effects of aging 107
Mycelial growth factor 453

N

Navas, P., Ascorbate free radical stimulates onion root growth by increasing cell elongation 282
Nicotiana tabacum: secreting and nonsecreting trichomes 23, soluble carbohydrate allocation 34
Nielsen, M. T., Comparative ultrastructural features of secreting and nonsecreting glandular trichomes of two genotypes of Nicotiana tabacum L. 13
Non-steady-state responses 269
Nordenskioldia 357
Norman, Frank J., Ecophysiological responses of C_3 forbs and C_4 grasses to drought and rain on a tallgrass prairie in northeastern Kansas 257
Nuclear DNA 139

O

Olea europaea 51
Olson, A. Randall, Gynoecial pathway for pollen tube growth in the genus Monotropa 154

Orchid flower mitochondria respiration 289
Ornduff, Robert, Size classes, reproductive behavior, and insect associates of Cycas media (Cycadaceae) in Australia 203
Overwintering, Spartina alterniflora 509
Ovule penetration, Juglans regia 100

P

Paleobotany: Middle Eocene fruits, seeds 369; Middle Eocene monocotyledon 231; Miocene Nordenskioldia, Trochodendron 357; Tiliaceous fruits 522; Tracheophyte evolution 335; Upper Cretaceous conifer leaves 380; Upper Permian Arberiella pollen ultrastructure 248; Upper Triassic cycad leaf 123
Paoletti, Claudia, Phenotypic integration in chestnut (Castanea sativa Mill.): leaves vs. fruits 514
Parasitic plant: Cassytha pubescens 321, Phoradendron macrophyllum 468
Paraveinal mesophyll, Glycine max 34
Paspalum dilatatum 219
Pattee, Harold E., Comparative peg, ovary, and ovule ontogeny of selected cultivated and wild-type Arachis species 64
Pennisetum ciliare 214
Perry, C. B., Ultrastructure of actinorhizal nodules of Cowania subintegra (Rosaceae) 8
Phenology, mistletoe establishment 468
Phenotypic integration 514
Philipson, Melva N., Ultrastructure of a symptomless fungal endophyte of Festuca arundinacea 296
Phoradendron macrophyllum 468
Photoperiod, Glycine max 139
Photosynthesis: C_3 forbs and C_4 grasses 257; gas exchange responses 263, 269; leaf absorbance plasticity 195; Nicotiana tabacum 23; simulated herbivory 275
Photosynthetic pathway 257
Phragmosome 397
Phylogeny: early fossil land plants 357, Humariaceae 421, Hydnobolites 408, Upper Cretaceous conifer fossils 380
Physiology: ecophysiology 257, 263, 269, 275; ecotypic differentiation 500; floral transition 139; growth 282; growth regulators 148; mitochondria respiration 289; mycelial growth factor 453; nitrogen stress and irradiance 23
Picea rubens, embryogenesis: somatic 453, zygotic 42
Pigliucci, Massimo, Phenotypic integration in chestnut (Castanea sativa Mill.): leaves vs. fruits 514
Pinnate cycad leaf, fossil 123
Pinus longaeva 107
Pisum sativum 133
Plant growth regulator: ethephon, ethylene 51; mycelial growth factor 453; sexual development 148; 2,3,5-triiodobenzoic acid 133
Plastochron, Lactuca sativa 72
Polito, V. S., Porogamy and chalazogamy in walnut (Juglans regia L.) 100
Pollen development, Arachis hypogaea 164
Pollen structure, Arberiella 248
Pollen tube growth: Juglans regia 100, Monotropa 154
Pollination ecology, cycad 91, 203
Population dynamics, Banksia cuneata 114
Porogamy 100
Posluszny, Usher, Patterns of architectural variation in Thuja occidentalis L. (Eastern white cedar) from upland and lowland sites 494
Principal Components Analysis 380
Prunus 369
Pseudogamy, Pennisetum ciliare 214

R

Raper, C. David, Jr., Soluble carbohydrate allocation to roots, photosynthetic rate of leaves, and nitrate assimilation as affected by nitrogen stress and irradiance 23
Raubeson, Linda A., Upper Cretaceous conifer leaf fossils from the Black Creek Formation with an assessment of affinities using Principal Components Analysis 380
Reproduction: Antennaria rosea 486, Cycas media 203, Juglans regia 100, Juniperus phoenicea 476, Pinus longaeva 107
Reproduction, asexual 486
Reproductive allocation 208
Resin, Cuphea 77
Respiration alternative pathway 289
Rhynia 335
Ristic, Zoran, Leaf anatomy of Zea mays L. in response to water shortage and high temperature: a comparison of drought-resistant and drought-sensitive lines 173; Chloroplast structure after water shortage and high temperature in two lines of Zea mays L. that differ in drought resistance 186; Morphological characteristics of leaf epidermal cells in lines of maize that differ in endogenous levels of abscisic acid and drought resistance 439
Root carbohydrate content 23
Root growth, ascorbate free radical 282
Rosaceae, Middle Eocene 369

S

Salinity stress, Lactuca sativa 72
Salt marsh 509
Sapindaceae 522
Secretory trichomes: Cassytha pubescens 321, Nicotiana tabacum 13
Seed bank, Banksia cuneata 114
Seed development, environment effects 59
Seed, Eocene 369
Seedling biomass, Pinus longaeva 107
Senock, R. S., Compensatory photosynthesis of Sporobolus flexuosus (Thurb.) Rydb. following simulated herbivory in the northern Chihuahuan Desert 275
Septal structure, Hydnobolites 408
Shade tolerance, broadleaf trees 195
Sisson, W. B., Compensatory photosynthesis of Sporobolus flexuosus (Thurb.) Rydb. following simulated herbivory in the northern Chihuahuan Desert 275
Size classes, Cycas media 203
Smith, R., Detection of antigens of powdery mildew, Erysiphe graminis f.sp. hordei, in susceptible plant host cells, shortly after inoculation and during the early stages of infection 460
Smith, Roberta H., A factor that promotes mycelial development in Sporisorium reilanum in vitro 453
Smith, William K., Gas exchange responses to variable sunlight in two Sonoran Desert herbs: comparison with subalpine species 269
Smut fungi: mycelial growth factor 453, ultrastructure 1
Snetselaar, Karen M., Teliospore maturation in the smut fungus Sporisorium sorghi: an ultrastructural study using freeze substitution fixation 1
Soleredera rhizomorpha 213
Somatic embryogenesis, from mature embryos 453
Spartina alterniflora 509
Spartina pectinata 263
Spore ontogeny, Ciliarieae 421
Sporisorium reilianum, mycelial growth factor 453
Sporisorium sorghi, ultrastructure 1
Sporobolus flexuosus 275
Stalker, H. Thomas, Comparative peg, ovary, and ovule ontogeny of selected cultivated and wild-type Arachis species 64
St-Jacques, Claude, Plasticity of leaf absorbance in some broadleaf tree seedlings 195
Stockey, Ruth A., Soleredera rhizomorpha gen. et sp. nov., a permineralized monocotyledon from the Middle Eocene Princeton chert of British Columbia, Canada 231; Fruits

and seeds from the Princeton chert (Middle Eocene) of British Columbia: Rosaceae (Prunoideae) 369
Stress: NaCl 72, nitrogen 23, water and temperature 173, 186
Structure/function: broadleaf tree leaves 195, cycad cone idioblasts 91, Glycine max mesophyll and paraveinal mesophyll 34, Zea mays chloroplast structure 186, Zea mays leaf anatomy 173, Zea mays leaf epidermis 439
Stutz, J. C., Ultrastructure of actinorhizal nodules of Cowania subintegra (Rosaceae) 8
Subalpine herbs, ecophysiology 269
Systematics: Ciliarieae 421; Cuphea trichome morphology 77; Pezizales, Tuberales 408

T

Tallgrass prairie, ecophysiology 257
Taxonomy: Carex 224, Paspalum dilatatum 219, Pennisetum ciliare 214
Teliospore maturation 1
Tertiary: Nordenskioldia and Trochodendron 357, Pteleaecarpum fruit 522
Thomas, Judith F., Shoot meristem activity during floral transition in Glycine max (L.) Merr. 139
Thompson, Michael R., Plantlet regeneration from cultured embryos and seedling parts of red spruce (Picea rubens Sarg.) 42
Thorpe, Trevor A., Plantlet regeneration from cultured embryos and seedling parts of red spruce (Picea rubens Sarg.) 42; Somatic embryogenesis and plant regeneration from mature zygotic embryos of red spruce 446
Thuja occidentalis: growth and physiology 500, tree architecture 494
Tiliaceae 522
Tissue culture: Picea rubens 42, 446; Pisum sativum 133
Tracheophytes 335
Transmitting tissue, Monotropa 154
Triassic, Upper, pinnate cycad leaf 123
Trichome: morphology 77, ultrastructure 13, 321
Trochodendron 357
2,3,5-triiodobenzoic acid 133

U

Ultrastructure: actinorhizal nodules 8, Arberiella pollen 248, Cassytha pubescens haustorium 321, Ciliarieae ascosporogenesis 421, Cuphea trichomes 77, dividing cells 397, early fossil water-conducting cells 335, Erysiphe graminis antigen detection 460, Festuca arundinacea fungal endophyte 296, Hydnobolites 408, Nicotiana tabacum trichomes 13, Sporisorium sorghi 1, Zea mays chloroplasts 186
Underground reserves, Spartina alterniflora 509

V

Vacuoles, ultrastructure 397
Van Roestel, C., Detection of antigens of powdery mildew, Erysiphe graminis f.sp. hordei, in susceptible plant host cells, shortly after inoculation and during the early stages of infection 460
Variable sunlight, effect in two Sonoran Desert herbs 269
Vitis vinifera, bud development 304
Vovides, Andrew P., Cone idioblasts of eleven cycad genera: morphology, distribution, and significance 91

W

Wagner, G. J., Comparative ultrastructural features of secreting and nonsecreting glandular trichomes of two genotypes of Nicotiana tabacum L. 13
Warne, Thomas R., Control of sexual development in gametophytes of Ceratopteris richardii: antheridiogen and abscisic acid 148
Webster, Barbara D., Inflorescence abscission in olive: anatomy and histochemistry in response to ethylene and ethephon 51
Weis, Kitren G., Inflorescence abscission in olive: anatomy and histochemistry in response to ethylene and ethephon 51
Whitkus, Richard, Chromosome counts of Carex section Ovales 224
Wijte, Antonia H. B. M., The importance of dead and young live shoots of Spartina alterniflora (Poaceae) in a mid-latitude salt marsh for overwintering and recoverability of underground reserves 509
Wu, C.-G., Ultrastructural evidence for a phylogenetic linkage of the truffle genus Hydnobolites to the Pezizaceae (Pezizales, Ascomycetes) 408; Ultrastructural investigation of Humariaceae (Pezizales, Ascomycetes). II. Ascosporogenesis in selected genera of the Ciliarieae 421

X

Xi, Xiang-Yuan, Development and structure of pollen and embryo sac in peanut (Arachis hypogaea L.) 164

Y

Yip, K. C., Respiration of orchid flower mitochondria 289
Young, J. Peter W., Modification of pea leaf morphology by 2,3,5-triiodobenzoic acid 133

Z

Zavada, Michael S., The ultrastructure of pollen found in the dispersed sporangia of Arberiella (Glossopteridaceae) 248
Zea mays, drought tolerance 186, 173, 439